



Correction: Improved Indian Summer Monsoon rainfall simulation: the significance of reassessing the autoconversion parameterization in coupled climate model

Moumita Bhowmik¹ · Anupam Hazra¹ · Ankur Srivastava¹ · Dipjyoti Mudiar¹ · Hemantkumar S. Chaudhari¹ · Suryachandra A. Rao¹ · Lian-Ping Wang²

Published online: 20 June 2024

© The Author(s), under exclusive licence to Springer-Verlag GmbH Germany, part of Springer Nature 2024

Correction: Climate Dynamics

<https://doi.org/10.1007/s00382-024-07243-w>

In this article the wrong figure appeared as Fig. 2.; the figure should have appeared as shown below.

Also, the wrong Supplementary file 2 was originally published with this article; it has now been deleted from the original article.

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00382-024-07243-w>.

✉ Moumita Bhowmik
moumita.bhowmik@tropmet.res.in

✉ Anupam Hazra
hazra@tropmet.res.in

¹ Ministry of Earth Sciences, Indian Institute of Tropical Meteorology, Pune, India

² Center for Complex Flows and Soft Matter Research, Department of Mechanics and Aerospace Engineering, Southern University of Science and Technology, Shenzhen, China




Fig. 2 **a** Comparison of Autoconversion rate calculated using Liu-Daum type parameterization and Sundqvist type parameterization for two types of clouds from Eulerian-Lagrangian particle-based model using in situ airborne observation and **(b)** The probability

distribution of rainfall (mm/day) over central India (Lon: 73 – 88°E; Lat: 15–28°N) for coupled forecast system, CFSv2 (control, CTL and modified, MOD) and observation (GPCP)